

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	4	(US-20020041756-\$ or US-20030112834-\$ or US-20020184649-\$).did. or (US-6219358-\$).did.	US-PGPUB; USPAT	OR	ON	2007/09/03 17:11
L6	1	5 and error	US-PGPUB; USPAT	OR	ON	2007/09/03 17:17
L9	30	error with (program adj number) with correct\$5	US-PGPUB; USPAT	OR	ON	2007/09/03 17:20
L10	23	error with (program adj number) with detect\$5	US-PGPUB; USPAT	OR	ON	2007/09/03 17:26
L13	2	"20050114890"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 17:25
L14	1	10/723523.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 17:26
L15	25	error with (program adj number) with detect\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 17:26
L16	431	(remapping or mapping) with (timestamp or time adj stamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 17:41
L17	189	(remapping or mapping) with (timestamp or time adj stamp) and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 17:42

## EAST Search History

L18	0	(remapping or mapping) with (timestamp or time adj stamp) and (error with program adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 17:45
L19	2	(remapping or mapping) with (timestamp or time adj stamp) and error and pat and pmt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 17:44
L20	208	(remapping or mapping) and (timestamp or time adj stamp) and error and pat and pmt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 17:44
L21	5	(remapping or mapping) and (timestamp or time adj stamp) and (error with program adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 19:39
L22	7	(re adj timestamp) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 19:29
L23	1	(re adj timestamp) with packet and hd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 19:23
L24	2	(re adj timestamp) with packet and definition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 19:23
L25	35	high adj definition and statistically adj multiple\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 19:30

## EAST Search History

L26	10	(remapping or mapping) and (error with program adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 19:39
S1	144	(remap\$4 or map\$4) with (program or packet) adj4 (number or identif\$7) same pid same pmt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:45
S2	100	(remap\$4 or map\$4) with (program or packet) adj4 (number or identif\$7) same pid same pmt and (processor or cpu) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:42
S3	33	(remap\$4 or map\$4) with (program or packet) adj4 (number or identif\$7) same pid same pmt and (processor or cpu) and memory and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:57
S4	67	S2 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:56
S5	197	(remapping or mapping) with ((program or packet) adj (number or identif\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:46
S6	141	(remapping or mapping) with ((program or packet) adj (number or identif\$7)) and memory and (cpu processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 17:40
S7	46	(remapping or mapping) with ((program or packet) adj (number or identif\$7)) and memory and (cpu processor) and pid and pmt and pat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:50

## EAST Search History

S8	32	("2959639" "20020063794" "20020071052" "20020075954" "20020152151" "20020041756" "20020162114" "4613903" "5298994" "5311297" "5473381" "5923374" "6108041" "6226038" "6549240" "RE37070").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 11:02
S9	29	("20020162114" "20040080672" "20030074441" "20020126711" "20020067744" "20020087999" "20020131443" "20020024967" "20010055322" "20030058948" "20040136409" "20040194149" "20050105486" "20030074670" "20030133051" "20030035486").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 11:06
S10	32	"6219358"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 11:42
S11	2	"6219358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 11:42
S12	1	("2002/0184649").URPN.	USPAT	OR	ON	2007/08/29 15:05
S13	1980	370/389.ccls.	USPAT	OR	ON	2007/08/29 15:05
S14	7	370/389.ccls. and (remap\$4 or map\$4) and program adj (number or identif\$7) and pat and pmt and pid	USPAT	OR	ON	2007/08/29 15:20
S15	11	("5164937"   "5430738"   "5647047"   "5684893"   "5835493"   "5892535"   "5930251"   "5966385").PN. OR ("6353613").URPN:	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 15:14
S16	2	"20050114890"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 15:22
S17	3	"6912573".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:57

## EAST Search History

S18	26	compare with (program or packet) adj (number or indentif\$7) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:00
S19	0	compare with (program or packet) adj (number or indentif\$7) with memory and pat and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 08:55
S20	208	compare with (program or packet) adj (number or indentif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:33
S21	24	compare with (program or packet) adj (number or indentif\$7) and pat and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:01
S22	24	compare with (program or packet) adj (number or indentif\$7) and pat and pid and pmt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:11
S23	16	match with (program or packet) adj (number or indentif\$7) and pat and pid and pmt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:12
S24	1	match with (program or packet) adj (number or indentif\$7) with memory and pat and pid and pmt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:12

## EAST Search History

S25	13	(US-20040019910-\$ or US-20040017831-\$ or US-20020047902-\$ or US-20060064716-\$ or US-20020107973-\$ or US-20020100054-\$ or US-20040193952-\$).did. or (US-6532591-\$ or US-6271893-\$ or US-7047550-\$ or US-6609251-\$ or US-7215360-\$ or US-7080398-\$ or US-6604110-\$ or US-6754906-\$ or US-5883677-\$ or US-5576755-\$ or US-6978471-\$ or US-6505347-\$ or US-6741288-\$).did.	USPAT	OR	ON	2007/08/29 17:34
S26	3	S25 and mapping	USPAT	OR	ON	2007/08/29 17:31
S27	208	compare with (program or packet) adj (number or indentif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:33
S28	100	(remap\$4 or map\$4) with (program or packet) adj4 (number or indentif\$7) same pid same pmt and (processor or cpu) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:45
S29	2	"6353613".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:46
S30	53	(remapping or mapping) with ((channel or program or packet) adj (number or indentif\$7)) and pat and pmt and pid and (cpu processor) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 07:28
S31	21	(remapping or mapping) with ((channel or program or packet) adj (number or indentif\$7)) and pat and pmt and pid and (cpu processor) and memory and compare	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 08:11
S32	2	"6157719".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 08:11

## EAST Search History

S33	0	compare with (channel or program or packet) adj (number or indentif\$7) with memory and pat and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 08:55
S34	35	compare with (channel or program or packet) adj (number or indentif\$7) and pat and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/02 14:43
S35	1	system with method with packet with network with multicasting with subscriber	USPAT	OR	ON	2007/09/02 13:12
S36	5	system with method with packet with network and "20010430".ad.	USPAT	OR	ON	2007/09/02 13:14
S37	1083	"20010430".ad.	USPAT	OR	ON	2007/09/02 13:14
S38	7	"20010430".ad. and mpeg	USPAT	OR	ON	2007/09/02 13:14
S39	10	compare same (channel or program or packet) adj (number or indentif\$7) same (memory or buffer) and pat and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/02 14:44

 PALM INTRANETDay : Monday  
Date: 9/3/2007  
Time: 20:55:21**Inventor Name Search Result**

Your Search was:

Last Name = MOUNTAIN

First Name = NED

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>10723523</u>	Not Issued	30	11/26/2003	Automated transport stream apparatus and method	MOUNTAIN, NED L.

**Inventor Search Completed: No Records to Display.**

**Search Another: Inventor**

Last Name	First Name	
<input type="text" value="mountain"/>	<input type="text" value="ned"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)